

Date: Monday, 2/19/2007 3:27:02 PM  
 User: Kim Johnston

## Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: TAIL LIGHT FAIRING
Job Number	: 30771		
Estimate Number	: 12419		
P.O. Number	: N/A	Part Number	: D34842
This Issue	: 2/19/2007 S.O. No. : N/A	Drawing Number	: D3484 REV D
Prsht Rev.	: NC	Project Number	: N/A
First Issue	: N/A Type : SMALL /MED FAB	Drawing Revision	: D
Previous Run	: 27222	Material	: N/A
Written By	:	Due Date	: 3/10/2007 Qty: 5 Um: Each
Checked & Approved By	: <u>MM 07.02.19</u>		
Comment	: Est Rev:A New Issue 06-05-23 EC		

## Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	M6061T6S050	6061-T6 .050 Sheet
-----	-------------	--------------------




Comment: Qty.: 0.3505 sf(s)/Unit Total : 1.7525 sf(s)

6061-T6 .050 Sheet

(M6061T6S050)

Batch: MM 17347 MM 07 02 26

2.0	WATER JET	FLOW WATER JET
-----	-----------	----------------



Comment: FLOW WATER JET

1-Cut as per Dwg D3484 Run D3484-1F prog.

Dwg Rev: D

Prog Rev: D MM 07 02 26

2-Deburr if necessary

3.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0	QC8	SECOND CHECK
-----	-----	--------------



Comment: SECOND CHECK

5.0	SMALL FAB 1	SMALL & MEDIUM FAB RESOURCE 1
-----	-------------	-------------------------------



Comment: SMALL & MEDIUM FAB RESOURCE 1

1-Deburr

2-Roll as per Dwg D3484

MM 07/03/05 XS

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes ☒ No ☐ DQA: ☒ Date: 07/04/11  
 QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 2/19/2007 3:27:02 PM  
User: Kim Johnston

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: TAIL LIGHT FAIRING

Job Number: 30771

Part Number: D34842

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

11/07/03/07 (S)

7.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: \_\_\_\_\_

11/07/04/10 (S)

8.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

11/07/04/11

Job Completion



U 07.04.11

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

**DART**

DESIGN	DRAWN BY	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED	DRAWING NO. <b>D3484</b>	REV. D SHEET 1 OF 4
DATE <b>06.06.22</b>	TITLE <b>TAIL LIGHT FAIRING</b>		SCALE 1:4
A	05.11.29	NEW ISSUE	
B	06.02.21	RE-DESIGN	
C	06.04.20	RE-DESIGN OF D3484-3F/-5F	
D	06.06.22	CORRECTED D3484-1F FLAT PATTERN	

RELEASED

06.08.17

**D3484-041 TAIL LIGHT FAIRING, L/H (SHOWN), R/H (OPPOSITE)****NOTES:**

- 1) WELD PER DART QSI 004
- 2) FINISH: ACID ETCH AND ALODINE PER DART QSI 005 4.1
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.010 TO 0.020
- 6) IDENTIFY ON INSIDE SURFACE AS INDICATED WITH WHITE LABEL:  
"TCCA-PDA, DART AEROSPACE LTD.,  
P/N D412-750-141/-142 B/N BXXXXX,  
FOR PRODUCT ELIGIBILITY SEE  
PDA06-13"





QTY -041	QTY -042	P/N	DESCRIPTION
X		D3484-041	TAIL LIGHT FAIRING ASSEMBLY (L/H)
	X	D3484-042	TAIL LIGHT FAIRING ASSEMBLY (R/H)
1		D3484-1	BASE (L/H)
	1	D3484-2	BASE (R/H)
1		D3484-3	FACE (L/H)
	1	D3484-4	FACE (R/H)
1		D3484-5	CONE (L/H)
	1	D3484-6	CONE (R/H)
4	4	MS20426AD3-3	RIVET
2	2	MS21069-04	ANCHOR NUT

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**

DESIGN <i>B</i>	DRAWN BY <i>B</i>	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>H</i>	APPROVED <i>H</i>	DRAWING NO. <b>D3484</b>	REV. D SHEET 2 OF 4
DATE <b>06.06.22</b>		TITLE <b>TAIL LIGHT FAIRING</b>	SCALE 1:2

**D3484-1 BASE, L/H****D3484-1 BENDING DETAIL**  
(D3484-2 OPPOSITE)  
(MAKE FROM D3484-1F)**D3484-2 BASE, R/H****D3484-1F BASE FLAT PATTERN** **NOTES:**

- 1) MATERIAL: 6061-T6 (OR 6061-T62) ALUMINUM SHEET (0.050 THICK)  
PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027  
(REF. DART SPEC. M6061T6S.050)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

**RELEASED**

06.08.17 SHOP COPY


RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 30771

**COPYRIGHT © 2005 BY DART AEROSPACE LTD.**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**

DESIGN #	DRAWN BY #	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
CHECKED #	APPROVED #	DRAWING NO. <b>D3484</b>	REV. D SHEET 3 OF 4
DATE <b>06.06.22</b>	TITLE <b>TAIL LIGHT FAIRING</b>		SCALE 1:1

**RELEASED**

06.08.17 #

**D3484-3 L/H FACE (-4 R/H, OPPOSITE)****NOTES:**

- 1) MATERIAL: 6061-T6 (OR 6061-T62) ALUMINUM SHEET (0.050 THICK)  
PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027  
(REF. DART SPEC. M6061T6S.050)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010


SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 30771

**COPYRIGHT © 2005 BY DART AEROSPACE LTD.**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**

DESIGN B	DRAWN BY B	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
CHECKED H	APPROVED H	DRAWING NO. <b>D3484</b>	REV. D SHEET 4 OF 4
DATE <b>06.06.22</b>		TITLE <b>TAIL LIGHT FAIRING</b>	SCALE 1:4

**D3484-5F CONE FLAT PATTERN****RELEASED**

06.08.17 H

**D3484-5 L/H CONE BENDING DETAIL (-6 R/H, OPPOSITE)  
(MAKE FROM D3484-5F)****NOTES:**

- 1) MATERIAL: 6061-T6 (OR 6061-T62) ALUMINUM SHEET (0.050 THICK)  
PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027  
(REF. DART SPEC. M6061T6S.050)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

WORK COPY  
TO  
RING  
CALLED COPY  
AMENDMENT  
NOTICE

WORK ORDER  
30771

**COPYRIGHT © 2005 BY DART AEROSPACE LTD.**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



